



# MATERIALS SAFETY DATA

## EZISplit

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Supplier Name:** JOHNSON HI-TECH (AUSTRALIA) PTY LTD  
**Address:** 103 Great Eastern Highway, Rivervale, WA, AUSTRALIA, 6103  
**Telephone:** +61 8 6250 8200  
**Fax:** +61 8 6250 8299  
**Emergency:** 1800 014 100  
**Synonym(s):** EZISPLIT  
**Use(s):** EXPLOSIVE • MINING EXPLOSIVE  
**MSDS Date:** 12 Aug 2009

### 2. HAZARDS IDENTIFICATION

**CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA.**

#### RISK PHRASES

**R23/24/25:** Toxic by inhalation, in contact with skin and if swallowed.  
**R3:** Extreme risk of explosion by shock, friction, fire or other sources of ignition.  
**R33:** Danger of cumulative effects.

#### SAFETY PHRASES

**S45:** In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).  
**S53:** Avoid exposure - obtain special instructions before use.  
**S7/8:** Keep container tightly closed and dry.

**CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE.**

**UN No:** 0082  
**DG Class:** 1.1D  
**Subsidiary Risk(s):** None Allocated  
**Packing Group:** None Allocated  
**Hazchem Code:** E  
**EPG:** None Allocated

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
ALUMINIUM	Al	7429-90-5	<5%
AMMONIUM NITRATE	H3-N.H-N-O3	6484-52-2	85-90%
PLASTIC	Not Available	Not Available	<10%
TRINITROTOLUENE (TNT)	C7-H5-N3-O6	118-96-7	<6%
COAL DUST	Not Available	Not Available	<5%
GUAR GUM	Not Available	9000-30-0	<3%
PENTAERYTHRITOL TETRANITRATE (PETN)	C5-H8-N4-O12	78-11-5	<3%

### 4. FIRST AID MEASURES

**EYE:** If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.

**SKIN:** If skin or hair contact occurs, remove contaminated clothing and flush

skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a doctor.

**INHALATION:** If inhaled, remove from contaminated area. To protect rescuer, use an Air-line respirator where an inhalation risk exists. Apply artificial respiration if not breathing.

**INGESTION:** For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.

**ADVICE TO DOCTOR:** Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

**FIRE AND EXPLOSION:** Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Do not attempt to fight fire. Use waterfog to cool intact containers and nearby storage areas. May explode from heat, pressure, friction or shock.

**EXTINGUISHING:** DO NOT attempt to extinguish burning explosives. Evacuate area immediately. Notify trained emergency response personnel.

**FLAMMABILITY:** EXPLOSIVE. Will explode under specific conditions. May evolve toxic gases (carbon/ nitrogen oxides, hydrocarbons) when heated to decomposition. Eliminate all ignition sources including cigarettes, open flames, spark producing switches/tools, heaters, naked lights, pilot lights etc. when handling. **CAUTION:** Will explode if exposed to heat or with heavy impact.

**HAZCHEM CODE:** E

### 6. ACCIDENTAL RELEASE MEASURES

**SPILLAGE:** If spilt (bulk), evacuate area and contact emergency services immediately. Eliminate all ignition sources. Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal. Prevent spill entering drains or waterways. **CAUTION:** Heating, impact or static charge may cause explosion.

### 7. STORAGE AND HANDLING

**STORAGE:** Store in clean, well ventilated and dry magazine licensed for Class 1 Explosives. Segregate from all other reagents including sunlight, specific incompatibilities, combustibles (including wooden pallets) and foodstuffs. Ensure magazines are adequately labelled and protected from physical damage/shock or friction.

**HANDLING:** Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

#### EXPOSURE STDS:

Ingredient	Reference	TWA		STEL	
		ppm	mg/m3	ppm	mg/m3
Cyclonite	ASCC (AUS)	--	1.5	--	--
Aluminium (metal dust)	ASCC (AUS)	--	10	--	--
Coal dust (containing < 5% quartz)	ASCC (AUS)	--	3	--	--

GUAR GUM  
ES-TWA: 10 mg/m<sup>3</sup>

**BIOLOGICAL LIMITS:** No biological limit allocated.

**ENGINEERING CONTROLS:** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical explosion proof extraction ventilation is recommended.

**PPE:** Wear rubber or PVC gloves, coveralls and safety glasses. If entering poorly ventilated or confined areas shortly after explosions wear self contained breathing apparatus.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** GREY POWDER CONTAINED INSIDE YELLOW PLASTIC TUBING WITH YELLOW-BUFF CAST CRYSTALLINE SOLID AT EACH END

**SOLUBILITY (WATER):** 80% SOLUBLE

**ODOUR:** ODOURLESS

**SPECIFIC GRAVITY:** 0.8 to 1.05

**pH:** NOT AVAILABLE

**% VOLATILES:** 0 %

**VAPOUR PRESSURE:** NOT AVAILABLE

**FLAMMABILITY:** EXPLOSIVE

**VAPOUR DENSITY:** NOT AVAILABLE

**FLASH POINT:** NOT AVAILABLE

**BOILING POINT:** NOT AVAILABLE

**UPPER EXPLOSION LIMIT:** NOT AVAILABLE

**MELTING POINT:** >120°C

**LOWER EXPLOSION LIMIT:** NOT AVAILABLE

**EVAPORATION RATE:** NOT AVAILABLE

**DECOMPOSITION TEMPERATURE:** > 150°C (PETN)

## 10. STABILITY AND REACTIVITY

**CHEMICAL STABILITY:** Stable under recommended conditions of storage.

**CONDITIONS TO AVOID:** Avoid shock, friction, heavy impact, heat, sparks, open flames and other ignition sources.

**MATERIAL TO AVOID:** May detonate if heated strongly or exposed to severe shock. Incompatible (explosively) with acids (eg. nitric acid), metal powders, combustible materials, alkalis (eg. hydroxides), oxidising agents (eg. hypochlorites), chloride salts, sulphur, urea, nitrites and reducing agents.

**HAZARDOUS DECOMPOSITION PRODUCTS:** May evolve toxic gases (carbon/ nitrogen oxides, hydrocarbons) when heated to decomposition.

## 11. TOXICOLOGICAL INFORMATION

**HEALTH HAZARD SUMMARY:** Toxic - Highly reactive explosive component. When detonated or heated to decomposition, this product will evolve highly toxic gases. Symptoms of exposure may include shortness of breath, chest pain, asphyxia, methaemoglobinaemia, and pulmonary oedema. Symptoms may be delayed several hours. Chronic over exposure to decomposition products may result in blood or respiratory disease. Ingredients in this product have been shown to cause liver, blood, bone marrow, kidney and nervous system damage with over exposure. However, due to the product packaging, potential risk exposure is low. **WARNING:** May explode with shock, heat or friction.

**EYE:** Low to moderate irritant. Contact may result in irritation, lacrimation, pain and redness.

**INHALATION:** Irritant. No inhalation hazard is anticipated unless product is heated to decomposition or exploded evolving toxic nitrogen oxides. Over exposure may result in irritation of the nose and throat, coughing, chest pain, breathing difficulties, methaemoglobinemia and pulmonary oedema. Effects may be delayed.

**SKIN: TOXIC.** Prolonged or repeated contact may result in liver damage and possible sensitisation. However, due to product form / nature of use, skin contact is considered unlikely.

**INGESTION: TOXIC.** Ingestion may result in gastrointestinal irritation, nausea and vomiting. Ingestion of large quantities may result in cyanosis (blue-grey skin discolouration) and methaemoglobinemia.

## TOXICITY DATA:

AMMONIUM NITRATE (6484-52-2)  
LD50 (Ingestion): 2217 mg/kg (rat)

GUAR GUM (9000-30-0)  
LD50 (Ingestion): 6000 mg/kg (Hamster)  
TDLo (Ingestion): 228,000 mg/kg/13 weeks continuous (rat)

PENTAERYTHRITOL TETRANITRATE (PETN) (78-11-5)  
LD50 (Ingestion): 35.5 g/kg (rat)  
LDLo (Ingestion): 7 g/kg (mouse)  
TDLo (Ingestion): 1669 mg/kg (man)

TRINITROTOLUENE (TNT) (118-96-7)  
LD50 (Ingestion): 660 mg/kg (mouse)  
LDLo (Ingestion): 500 mg/kg (rabbit)  
LDLo (Subcutaneous): 500 mg/kg (rabbit)  
TDLo (Ingestion): 5376 mg/kg (rat)

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENT:** Ammonium nitrate is a nutrient in water. Spills can cause massive algal blooms in static waters and affect local species population balance in the aquatic environment. If water is used to disperse ammonium nitrate spilled on soil, the solution produced can end up in the groundwater. Ammonium nitrate will be taken up by bacteria. Nitrate is more persistent in water than the ammonium ion. Trinitrotoluene (TNT) will undergo photochemical degradation, however it is toxic to bacteria which might biochemically degrade it. TNT is toxic to fish above 1.5 ppm. TNT and pentaerythritol tetranitrate (PETN) are not expected to bioconcentrate. PETN may degrade by hydrolysis.

## 13. DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL:** Do not dispose of this product. Small quantities of damaged or deteriorated material may be destroyed by inclusion in a blast hole containing good explosives (licensed personnel). Detonators should not be inserted into defective explosives. For larger amounts contact the manufacturer for additional information.

**LEGISLATION:** Dispose of in accordance with relevant local legislation.

## 14. TRANSPORT INFORMATION

**TRANSPORT: AIR TRANSPORT PROHIBITED under the international Air Transport Association (IATA) Dangerous Goods Regulations for transport by air passenger aircraft and cargo aircraft.**

**CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE**

**Shipping Name :** EXPLOSIVE, BLASTING, TYPE B

**UN No:** 0082

**DG Class:** 1.1D

**Subsidiary Risk(s):** None Allocated

**Packing Group:** None Allocated

**Hazchem Code:** E

**EPG:** None Allocated

**JOHNEX**  
explosives

PRODUCT DISCLAIMER: The information contained in this technical bulletin is believed to be accurate, but can not possibly cover every application or variation of conditions under which the product is used or tested. The specifications here in are based on the manufacturer's experiences, research and testing. Johnson Hi-Tech (Australia) Pty Ltd trading as Johnex Explosives can not anticipate or control conditions under which this information and its products may be used. Each user is responsible for being aware of the details in the technical bulletin and the product applications in the specific context of the intended use. Johnson Hi-Tech (Australia) Pty Ltd will not be responsible for damages of any nature resulting from the use or reliance upon the information. No express or implied warranties are given other than those implied as mandatory by Commonwealth, State or Territory legislation.

## IATA

**Shipping Name:** None Allocated

**UN No:** None Allocated

**DG Class:** None Allocated

**Subsidiary Risk(s):** None Allocated

**Packing Group:** None Allocated

## IMDG

**Shipping Name:** EXPLOSIVE, BLASTING, TYPE B

**UN No:** 0082

**DG Class:** 1.1D

**Subsidiary Risk(s):** None Allocated

**Packing Group:** None Allocated



## 15. REGULATORY INFORMATION

**Poison Schedule:** A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

**AICS:** All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

## 16. OTHER INFORMATION

**EXPLOSIVES & BLASTING AGENTS:** Refer to Local State and Federal legislation that specifically relates to the use of Explosives. Users of products described in this MSDS Report are advised to ensure familiarity and compliance with the appropriate legal requirements (eg. Regulations) prior to the use of this product. Where any further information is required, users may contact their local authority in Explosives and Dangerous Goods.

**EXPLOSIONS:** Fires involving explosives or explosive mixtures may undergo further explosions and rapid propagation. Police and emergency personnel should be notified immediately. Evacuate individuals to a safe sheltered area at least 800 metres away. If possible remove vehicles and further heat and ignition sources from the area. Do not return to areas until at least one hour after fire and explosions have ceased.

**EXPLOSIONS:** For further information please refer to Australian Standard 1216, for classification of explosives and Local and Federal Explosive and Dangerous Goods legislation (Act and Regulations).

**EXPLOSIVES - BURNING SAFETY:** (Note: disposal in a blast with fresh explosives may be preferable to burning).

- Make a sawdust (or newspaper) trail 450mm wide and approx 20mm deep in the direction of the wind. The trail should be 2m longer than necessary.
- Place the cartridges on the sawdust (or paper), they may be touching, but not piled on top of each other
- Individual trails should be no closer than 2m and should not contain more than 12kgs of explosives.
- Trails should be side by side, not in a line. No more than 4 should be set up at one time.
- Remove explosives not being burnt, to at least 300m away, unless the material can be stored behind something substantial.
- Thoroughly wet the trail with kerosene or diesel (never petrol or any other highly flammable liquid). Use at least 2L of fuel per 10m of trail.
- Light the trail from a long rolled paper wick, place down wind and contact

the 2m of trail which is not covered by explosives. The flame should blow away from the unburned explosives otherwise preheating and detonation may occur.

- Use a plastic igniter if available instead of paper. Coil one end into the sawdust or under the paper and light the other end from a minimum distance of 7m away from the trail.
- Move away at least 300m. Do not return for a period of at least 30mins after burning has finished.
- If the fire goes out, do not approach for at least 15mins. Do not add kerosene or diesel oil unless certain that the flame is completely extinguished.
- Bury the residue as it is poisonous to livestock.

### ABBREVIATIONS:

**ADB** - Air-Dry Basis.

**BEI** - Biological Exposure Indice(s)

**CAS#** - Chemical Abstract Service number - used to uniquely identify chemical compounds.

**CNS** - Central Nervous System.

**EINECS** - European INventory of Existing Commercial chemical Substances.

**IARC** - International Agency for Research on Cancer.

**M** - moles per litre, a unit of concentration.

**mg/m<sup>3</sup>** - Milligrams per cubic metre.

**NOS** - Not Otherwise Specified.

**NTP** - National Toxicology Program.

**OSHA** - Occupational Safety and Health Administration.

**pH** - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

**ppm** - Parts Per Million.

**RTECS** - Registry of Toxic Effects of Chemical Substances.

**TWA/ES** - Time Weighted Average or Exposure Standard.

### HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a MSDS report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this MSDS report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.